

Safety Data Sheet dated 8/1/2013, version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Mixture identification:
Trade name: WHITE OUT 600 ML
Trade code: A06323

1.2 Relevant identified uses of the substance/mixture and uses advised against

Recommended use:

Technical product

1.3 Details of the supplier of the safety data sheet

Company:
STAC PLASTIC SPRAY S.R.L. Via E. De Nicola 9/11 10036 Settimo Torinese (To) Italia.
STAC PLASTIC SPRAY S.R.L. Tel. n.. +39 011 8977566 Fax n. +39 011 8977491

Competent person responsible for the safety data sheet:

Montini Vittorino stacplas@stacplastic.com

1.4 Emergency telephone number

STAC PLASTIC SPRAY S.R.L. Tel. n.. +39 011 8977566 Fax n. +39 011 8977491

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

This product is not a hazardous article and need not be labelled according to EC Directive 67/548, 99/45 as amended.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2 Label elements

S Phrases:

S23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

S51 Use only in well-ventilated areas.

Special Provisions:

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of reach of children.

2.3 Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

N.A.

3.2 Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

5% - 7% ethanol; ethyl alcohol

Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6

F; R11; substance with a Community workplace exposure limit

2.6/2 Flam.  Liq. 2 H225

1% - 3% propan-2-ol

Index number: 603-117-00-0, CAS: 67-63-0, EC: 200-661-7

F,Xi; R11-36-67

2.6/2 Flam.  Liq. 2 H225

3.3/2 Eye Irrit.  2 H319

3.8/3 STOT  SE 3 H336

4. FIRST AID MEASURES

4.1 Description of first aid measures

In case of skin contact:

- Wash with plenty of water and soap.
- In case of eyes contact:
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- In case of Ingestion:
Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
- In case of Inhalation:
Remove casualty to fresh air and keep warm and at rest.
- 4.2 Most important symptoms and effects, both acute and delayed
None
- 4.3 Indication of any immediate medical attention and special treatment needed
Treatment:
None

5. FIRE-FIGHTING MEASURES

- 5.1 Extinguishing media
Suitable extinguishing media:
Water.
Carbon dioxide (CO₂).
Extinguishing media which must not be used for safety reasons:
None in particular.
- 5.2 Special hazards arising from the substance or mixture
Do not inhale explosion and combustion gases.
Burning produces heavy smoke.
- 5.3 Advice for fire-fighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
- 6.2 Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3 Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4 Reference to other sections
See also section 8 and 13

7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling:
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
- 7.2 Conditions for safe storage, including any incompatibilities
Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3 Specific end use(s)
None in particular

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
ethanol; ethyl alcohol - CAS: 64-17-5
TLV TWA: 1000 ppm, A4 - 1884,25 mg/m³, A4
TLV STEL: A4
propan-2-ol - CAS: 67-63-0
TLV TWA: 200 ppm, A4 - 491,53 mg/m³, A4
TLV STEL: 400 ppm, A4 - 983,07 mg/m³, A4
DNEL Exposure Limit Values
N.A.
PNEC Exposure Limit Values
N.A.
- 8.2 Exposure controls

Eye protection:
Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:
No special precaution must be adopted for normal use.

Protection for hands:
Not needed for normal use.

Respiratory protection:
Use adequate protective respiratory equipment, e.g. CEN/FFP-2 or CEN/FFP-3.

Thermal Hazards:
None

Environmental exposure controls:
None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance and colour:	colourless liquid
Odour:	characteristic
Odour threshold:	N.A.
pH:	N.A.
Melting point / freezing point:	N.A.
Initial boiling point and boiling range:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	> 1
Flash point:	< 0 ° C
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	1,00 kg/l
Solubility in water:	undissolvable
Lipid solubility:	complete
Partition coefficient (n-octanol/water):	N.A.
Auto-ignition temperature:	400 °C (gas)
Decomposition temperature:	N.A.
Viscosity:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.

9.2 Other information

Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	N.A.

10. STABILITY AND REACTIVITY

10.1 Reactivity
Stable under normal conditions

10.2 Chemical stability
Stable under normal conditions

10.3 Possibility of hazardous reactions
None

10.4 Conditions to avoid:
Stable under normal conditions.

10.5 Incompatible materials:
None in particular.

10.6 Hazardous decomposition products:
None.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological information of the mixture:
N.A.

Toxicological information of the main substances found in the mixture:
ethanol; ethyl alcohol - CAS: 64-17-5
LD50 (RABBIT) ORAL: 6300 MG/KG
LD50 (RAT) ORAL SINGLE DOSE: 7060 MG/KG

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;

- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity
Adopt good working practices, so that the product is not released into the environment.
- 12.2 Persistence and degradability
None
N.A.
- 12.3 Bioaccumulative potential
N.A.
- 12.4 Mobility in soil
N.A.
- 12.5 Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6 Other adverse effects
None

13. DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

- 14.1 UN number:
- 14.2 UN proper shipping name:
- 14.3 Transport hazard class(es):
ADR-Class: 2.5°A CAP. 2.2.2.1.6 UN1950
IATA-Class: 2.2
IMDG-Class: 2 Aerosols UN 1950
- 14.4 Packing Group: Not assigned
- 14.5 Environmental hazards
Marine pollutant: Marine pollutant
- 14.6 Special Precautions for User
- IMDG-Page: 2102
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No

15. REGULATORY INFORMATION

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances). Dir. 99/45/EEC (Classification, packaging and labelling of dangerous preparations). Dir. 98/24/EC (Risks related to chemical agents at work). Dir. 2000/39/EC (Occupational exposure limit values); Dir. 2006/8/CE. Regulation (CE) n. 1907/2006 (REACH), Regulation (CE) n. 1272/2008 (CLP), Regulation (CE) n. 790/2009 (1° ATP CLP), Regulation (EU) n. 453/2010 (Annex I).
Where applicable, refer to the following regulatory provisions :
Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.
Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)
- 15.2 Chemical Safety Assessment
No

16. OTHER INFORMATION

- Text of phrases referred to under heading 3:
R11 Highly flammable.
R36 Irritating to eyes.
R67 Vapours may cause drowsiness and dizziness.

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold
- CCNL - Appendix 1
- Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.